



ODE STARFLEX UN

Otulina 25 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21	8,25	40,80	336,60
3/4"	27	8,58	36,00	308,70
1"	33	9,09	30,00	272,75
1 1/4"	42	9,43	26,40	248,82
1 1/2"	48	10,03	22,80	228,57
2"	60	11,92	16,80	200,20
2 1/2"	76	13,80	14,40	198,72
3"	89	17,18	10,80	185,58
4"	114			
5"	140			
6"	169			
8"	219			
10"	273			
12"	324			



ODE STARFLEX UN

Otulina 30 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21	9,15	33,60	307,44
3/4"	27	9,38	27,60	258,75
1"	33	10,43	24,00	250,20
1 1/4"	42	10,80	18,00	194,42
1 1/2"	48	11,05	18,00	198,83
2"	60	13,90	14,40	200,16
2 1/2"	76	15,83	12,00	190,00
3"	89	17,96	9,60	172,40
4"	114	26,76	6,00	160,55
5"	140	36,60	12,00	439,20
6"	169	47,82	9,60	459,04
8"	219	55,22	6,00	331,30
10"	273	73,59	4,80	353,24
12"	324	83,55	3,60	300,78



ODE STARFLEX UN

Otulina 40 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21	13,90	19,20	251,36
3/4"	27	13,48	18,00	242,70
1"	33	14,46	16,80	242,90
1 1/4"	42	15,06	13,20	198,77
1 1/2"	48	15,44	13,20	203,83
2"	60	18,13	10,80	195,75
2 1/2"	76	22,94	8,40	192,71
3"	89	26,47	7,20	190,56
4"	114	33,65	4,80	161,52
5"	140	43,75	8,40	367,50
6"	169	54,33	7,20	391,14
8"	219	68,35	4,80	328,08
10"	273	79,21	3,60	285,15
12"	324	87,90	2,40	210,96



ODE STARFLEX UN

Otulina 50 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21	16,47	14,40	237,12
3/4"	27	17,21	12,00	206,50
1"	33	17,98	12,00	215,70
1 1/4"	42	18,28	10,80	197,37
1 1/2"	48	20,51	10,80	221,49
2"	60	23,41	8,40	196,63
2 1/2"	76	29,47	7,20	212,16
3"	89	31,81	6,00	190,85
4"	114	42,34	4,80	203,24
5"	140	49,81	7,20	358,62
6"	169	57,55	6,00	345,30
8"	219	81,03	4,80	388,96
10"	273	98,95	3,60	356,22
12"	324	112,90	2,40	270,96



ODE STARFLEX UN

Otulina 60 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21	22,87	12,00	274,39
3/4"	27	24,17	10,80	261,01
1"	33	25,48	8,40	214,06
1 1/4"	42	26,17	8,40	219,80
1 1/2"	48	27,18	7,20	195,66
2"	60	29,43	7,20	211,86
2 1/2"	76	37,99	6,00	227,95
3"	89	39,23	4,80	188,32
4"	114	51,04	3,60	183,75
5"	140	60,66	4,80	291,16
6"	169	70,72	4,80	339,44
8"	219	85,09	3,60	306,33
10"	273	109,07	2,40	261,76
12"	324	148,83	2,40	357,20



ODE STARFLEX UN

Otulina 80 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21			
3/4"	27			
1"	33			
1 1/4"	42			
1 1/2"	48			
2"	60	45,35	4,80	217,68
2 1/2"	76	51,68	3,60	186,06
3"	89	66,91	3,60	240,87
4"	114	74,57	2,40	178,96
5"	140	88,46	4,80	424,60
6"	169	101,40	4,80	486,72
8"	219	138,78	3,60	499,62
10"	273	165,35	2,40	396,84
12"	324	201,89	2,40	484,54



ODE STARFLEX UN

Otulina 100 mm

klasa odpornosci ogniowej A1

Średnica rury

* cena netto

Cal	mm	PLN/mb *	mb/opak	PLN/opak. *
1/2"	21			
3/4"	27			
1"	33			
1 1/4"	42			
1 1/2"	48			
2"	60			
2 1/2"	76	72,66	3,60	261,59
3"	89	76,00	2,40	182,41
4"	114	89,71	2,40	215,30
5"	140	107,83	3,60	388,20
6"	169	124,17	3,60	447,00
8"	219	149,04	2,40	357,70
10"	273			
12"	324			